



PROVIDENT

Construction		Loop Pile	Loop Pile
Pile Content		100% Polypropylene	100% Polypropylene
Primary Backing		Woven Polypropylene	Woven Polypropylene
Secondary Backing		Easy Fit Gel	Action Back
Width		4m	4m
Average Roll Length		30.00lm	30.00lm
Pile Weight			
Total Weight			
Pile Height		2mm	2.5mm
Total Height		5mm	5.5mm
Gauge		1/10th	1/10th

Performance Classification		LC1	LC1
Wear Classification	BS EN 1307	23	32
Caster Chair	BS EN 985 PARTA		
Impact Noise Rating	BS EN ISO 140-8	10db	10db
Acoustic Insulation	BS EN ISO 717-1		
Static Electricity (Waking Test)	ISO 6356: 2000		
Colour Fastness - Light	BS EN ISO 105 – B02	5-8	5-8
Wet Rubbing	BS EN ISO 105 – B01	5	5
Dry Rubbing	BS EN ISO 105 X 12		
Anti-Microbial Treatment			
Thermal Conductivity	BS EN ISO 354	0.13m ² /kw	0.13m ² /kw
Flammability	BS EN13501-1	Efl-s1	Cfl-s1
Hot Metal Nut Test	BS 4790		

Suitability

- . Social Housing
- . Student Accommodation
- . General Contract

Guarantee

5 Year Heavy Commercial Wear

Apply for full details of conditions and limits of above



JHS RSS 1.0



2009/533

JOSEPH HAMILTON & SEATON
RELAY PARK, RELAY DRIVE, TAMWORTH STAFFORDSHIRE, B77 5PR

TELEPHONE: (01827) 831400 TELEFAX: (01827) 831401
EMAIL: sales@jhscarpets.com

Registered Office: Gorsey Lane Coleshill Birmingham B46 1JU England HFD Ltd Registered in England and Wales No. 2674152